

AmericanTM Micronic

Oven Toaster Griller



42



LITRE CAPACITY

2000 WATTS POWERFUL HEATERS



FEATURES

Motorized Rotisserie and Convection	Element/ Function selection knob for convenience
Powerful 2000 Watts heating elements	Upto 120 minutes mechanical timer with bell
Dual thermostat and Dual Temperature knobs	Automatic turn off function when set time is over
Independent controls for top & bottom temperature	Stay On function for continuous cooking
Toughened glass door for added safety	High quality body with cool touch handle



American Micronic™

Oven Toaster Griller

Product Name.: Oven Toaster Griller

Model No.: AMI-OTG-42LDx

Capacity: 42 Litres

Input power: 220-240V AC, 50Hz, 2000 Watts

Box Size: 61 CM x 51 CM x 40.5 CM

Name and Address of the Importer:

American Micronic Instruments (India) Private Limited
7, Hartron Complex, Electronic City, Udyog Vihar Phase-IV
Sector 18, Gurgaon-122015, Haryana
Country of Origin: China

Name of the Commodity: Oven Toaster Griller

Quantity: Oven Toaster Griller 1 N, Baking tray 1 N,
Crumb tray 1 N, Rotisserie rod set 1 N, Rotisserie tong 1 N,
Wire rack 1 N, Tong 1 N, Instruction manual 1 N,
Warranty Card 1 N
Month & Year of Import: September 2020

Maximum Retail Price: Rs. 9875.00 (Inclusive of All Taxes)

For customer complaint escalation write to:

Vice President-Customer Support
American Micronic Instruments (India) Private Limited
7, Hartron Complex, Electronic City, Udyog Vihar Phase-IV
Sector 18, Gurgaon-122015, Haryana, India.
Tel: +91-124-4229500 Customer Care No.: 888-200-9988
Email: india@americanmicronic.com
Web: www.americanmicronic.in

**To login Customer Support request please submit
the Customer Support Request Form at customer support tab on
www.americanmicronic.in**



American Micronic Instruments, Inc.

16192 Coastal Highway

Lewes, Delaware 19958 USA

Tel: +1-646-801-7978 | Fax: +1-646-396-6699

Email: usa@americanmicronic.com

www.americanmicronic.com



An ISO 9001:2015 Certified Company

9001:2015

